



envisionTEC

DENTAL

Table of Contents

Desktop 3D Printers

5	Envision One cDLM Dental
7	Vida / Vida HD
9	Micro Plus XL
11	Vida cDLM / Vida HD cDLM


Material

10	Dental Resins
----	---------------


Digital Dentistry in Action

EnvisionTEC 3D printers are known for accuracy, surface finish, reliability and speed. Our machines also deliver extreme flexibility with the power to print multiple materials.

Models




Castables




Restorations



Appliances





NEW Envision One cDLM Dental



- Blazing fast - 6 orthodontic arch models in under 15 minutes, 10 dentures in under an hour
- Our easiest-to-use yet software interface
- Layerless technology delivers super smooth models
- 75% less supports compared to regular DLP printers
- Domeless technology delivers the highest accuracy in Z
- High-resolution industrial projector with glass UV optics

Machine Specification:

Envision One cDLM Dental

Maximum Building envelope:	180 x 101 x 85 mm*
Voxel** resolution in X & Y:	93 μ m
Dynamic Voxel Resolution in Z:	25 - 150 μ m***
Footprint:	39 x 43 x 64 cm
Electrical Requirement:	110/220 VAC 50/60 HZ 5A

System specifications are subject to change without notice.


* Deviation of +/- 2mm possible. ** A voxel is a volumetric pixel.

*** Pre-Adjusted by each material module and material dependent.



envisionTEC

Vida / Vida HD



- 3D prints orthodontic models, partials, surgical guides, indirect bonding trays, crown and bridge models, waxups for crown and bridge applications, and bite guards
 - Prints a variety of different materials for maximum versatility and productivity
 - Any STL file of a model designed from an impression or an Intra Oral Scanner can be printed
 - Changeover between materials is quick and easy with no waste
 - Compatible with leading design software
 - Long life LED light source with zero maintenance and very low acquisition cost

Machine Specification:	Vida	Vida HD
Build Envelope* :	140 x 79 x 100 mm	96 x 54 x 100 mm
Native Pixel Resolution X / Y:	73 μm	50 μm
Dynamic Voxel** Resolution in Z*** :	25 μm to 150 μm	
Footprint:	39.5 x 35.0 x 82.6 cm	
Weight Approx:	34 kg	
Electrical Requirement:	110 VAC @ 3A	


System specifications are subject to change without notice.

*Deviation of +/- 2mm possible. **A voxel is volumetric pixel.

***Pre-Adjusted by each material module and material dependent.



Micro Plus XL



- 3D prints orthodontic models, surgical guides, indirect bonding trays, crown and bridge models, bite guards and more
 - Prints at least 10 different materials for maximum versatility
 - Any STL file of a model designed from an impression or an intra oral scanner can be printed
 - Changeover between materials is quick and easy with no waste
 - Compatible with leading dental and orthodontic design software
 - Can be operated unattended with maximum reliability
 - Long life LED light source with zero maintenance and very low acquisition cost

Machine Specification:

Micro Plus XL

Maximum Build Envelope:	120 x 74 x 85 mm*
Native Voxel Size in XY	82 µm X / 105 µm Y
Dynamic Voxel** Resolution in Z:	25 - 75 µm***
Footprint:	22.86 x 24.13 x 66.04 cm
Weight Approx:	16 kg
Electrical Requirement:	110 VAC @ 3A

System specifications are subject to change without notice.

* Deviation of +/- 2mm possible. **A voxel is volumetric pixel.

*** Pre-Adjusted by each material module and material dependent.

Industry-Leading Dental Portfolio



E-Dent 100/400 is the optimal material for the direct printing of crown, bridge and full roundhouse temporary restorations. This material can be characterized.

FDA approved and CE class IIa



E-Denture natural looking denture base material has low shrinkage, allowing for exceptional fit when producing removable denture bases.

FDA approved and CE class IIa



E-Guard is a biocompatible, transparent material for the production of accurate bite splints, night guards and retainers.

FDA approved and CE class IIa



E-Guide Tint is a material ideal for the production of accurate drill guides used in implant surgery.

FDA approved and CE class I



E-Gum is a flexible material that simulates the patient's gum in flexible gingiva masks for the successful restoration of implants.



E-IDB is a new material for the production of indirect bonding trays for quick and accurate placement of brackets.

FDA approved and CE class I


D Desktop
Micro
Vida



P Perfactory
P4K 62
P4K 75
P4K 90



3 3SP
Vector 3SP
3Dent 3SP
Xtreme 3SP
Xede 3SP



C cDLM
Micro cDLM
Vida cDLM
Envision One
cDLM



C
D
P
3

E-Model Light is the most versatile model material on the market. It is ideal for high precision crown and bridge models as well as orthodontic models for use with vacuum forming, spray-on, doughing and soldered methods of appliance fabrication.



D
P

E-Partial is a castable material suitable for use in the production of crowns and partial denture frameworks for direct investment casting in semi-precious metals. It's high flexural strength ensures clasp flex without breakage.



C

PIC 100 C is a specialized castable formula for use with cDLM technology to create high quality copings, crowns, bridges and partial denture frameworks.



D
P
C

Press-E-Cast produces highly accurate castable wax copings, crowns and bridges with thin walls for a tight fit. It is ideal for using a rapid burnout when casting or it can also be used for pressed ceramic restoration preparation techniques.



D
P
3

E-SepFree can be used to produce high-resolution models that are both easy to carve and can also be used for to build orthodontic appliances without the need for a separator.



D
P
3

E-Denstone is a material developed specifically for the rapid production of highly accurate, scannable dental models. It produces models that look and feel similar to traditional gypsum models.

Flexible 3D Printers

EnvisionTEC 3D printers are optimized to print a variety of materials representing a broad portfolio of dental and orthodontic applications. We are also in constant communication with the R&D teams of the most recognized dental software companies to ensure a seamless workflow that delivers consistent manufacturing quality. Whether using 3Shape CAMbridge™ or DWOS-RPM from Dental Wings, automatic preparation is optimized for all EnvisionTEC printers.

From optimal placement to orientation to support generation, job creation is one click away. Identification tags may be automatically placed next to each item to minimize processing after printing. Design parameters in 3Shape and Dental Wings have been optimized to deliver a set of Standard Operating Parameters that are application-specific and provided upon request.



envisionTEC



envisionTEC



www.dmicadcam.com
f @ /dmicadcam
ventas@dmicadcam
T. 800 801-3368